
TRONP®
创 谱

和面机专业制造商

PROFESSIONAL MANUFACTURER OF
DOUGH MIXER



微信公众号
WeChat Official Account

阿里巴巴
Alibaba

抖音
Douyin

视频号
WeChat Channels

广东创谱科技有限公司

GUANGDONG CHUANGPU TECHNOLOGY CO.,LTD

地址：广东省肇庆市高新技术产业开发区创业路9号之三3号厂房

ADD: 3#building, 9-3 Chuangye Rd, National hi-tec industry dev zone, Zhaoqing City, Guangdong pro, China

020-3680 2050　139 2418 3319　139 2418 0279　gzcpjx@163.com　www.gdcp-tec.com

福建、安徽、江浙沪区域 Fujian, Anhui, Jiangsu-Zhejiang-Shanghai Region	联系人：陆经理 Contact: Manager Lu 139 2418 3352	山东、河南、河北、东北区域 Shandong, Henan, Hebei, Northeast China Region	联系人：陈经理 Contact: Manager Chen 137 2804 3919
湖南、湖北、广东、广西区域 Hunan, Hubei, Guangdong Guangxi Region	联系人：李经理 Contact: Manager Li 139 2418 8928	国际业务部 International Business Department TRONP.DOUGH.MIXER@GMAIL.COM	Nancy Fan Wechat/WhatsApp +86 13925183319

广东创谱科技有限公司
GUANGDONG CHUANGPU TECHNOLOGY CO.,LTD

创谱制造

Made in chuangpu

CONTENTS
目录

公司概况 Company Introduction 01

发展历程 Development History 03

荣誉资质 Honors and Qualifications 05

企业文化 Enterprise Culture 06

产品介绍 Product Introduction 07

桶底卸料双扭臂和面机 Dough Mixer With Bottom Discharge 09

智能恒温卧式和面机 Intelligent Constant Temperature Horizontal Dough Mixer 11

PLC智控离缸式工业和面机 Professional Dough Mixer With Movable Bowl Design 13

恒温智能和面机 Intelligent Constant Temperature Dough Mixer 17

智能翻缸和面机 Intelligent Tilting Bowl Dough Mixer 19

纯不锈钢翻缸和面机 Pure Stainless Steel Cylinder Dough Mixer 23

经典款翻缸和面机 CLASSIC TILTING DOUGH MIXER 24

TP标准款和面机 Tp Standard Series 25

提升机系列 HOIST SERIES 25

自动送粉系统 Automatic Powder Conveying System 29

面团输送机、分块机 Dough Conveyor 31

片冰机 Ice Machine 32

部分合作伙伴 Selected Cooperation Partners 33





COMPANY INTRODUCTION
→企业介绍

广东创谱科技有限公司，前身为2015年成立的广州创谱机械制造有限公司，是集研发、生产、销售于一体的和面机行业领军企业。公司深耕和面机领域二十余年，拥有12000㎡现代化厂房与2000㎡配套钣金厂，是国家高新技术企业、规模以上工业企业。

公司汇聚精英研发团队，累计获得30余项国家专利，通过ISO9001、欧盟CE认证，以国际标准严控产品品质。

主营全自动智能翻缸/离缸、高速卧式双扭臂、智能恒温变频等全系列和面机，配套制冰机、面团处理机等设备，提供一站式食品生产线解决方案。

企业秉持“诚信、专注、创新、智造”精神，以“创造客户新价值，谱写搅拌新篇章”为愿景，以技术创新赋能行业，为全球客户提供高品质食品机械与专业服务。

Guangdong Chuangpu Technology Co., Ltd., formerly known as Guangzhou Chuangpu Machinery Manufacturing Co., Ltd. founded in 2015, is a leading enterprise in the dough mixer industry integrating R&D, production and sales. With over 20 years of deep cultivation in the dough mixer field, it owns a 12,000 ㎡ modern factory and a 2,000 ㎡ supporting sheet metal workshop, and is a national high-tech enterprise and an industrial enterprise above designated size.

The company gathers an elite R&D team of 10 members, has won more than 30 national patents, and passed ISO9001 and EU CE certifications, strictly controlling product quality in line with international standards.

It specializes in full-series dough mixers including fully automatic intelligent cylinder-tilting/separating, high-speed horizontal double torsion arm, intelligent constant temperature & frequency conversion models, as well as supporting equipment like ice makers and dough processors, providing one-stop food production line solutions.

Adhering to the spirit of "Integrity, Focus, Innovation, Intelligent Manufacturing" and the vision of "Creating New Value for Customers, Composing a New Chapter of Mixing", the company empowers the industry with technological innovation and provides global customers with high-quality food machinery and professional services.

创谱公司 Chuangpu Machinery

01 行业领先 Industry-leading

30+ 国际专利 national patent

18+ 主力产品 Main products



CONCENTRATION DECIDES THE UNIVERSE
→专注定乾坤

董事长萧方宇先生在食品机械领域深耕二十多年
Mr. Xiao Fangyu, the chairman, has been deeply involved in the field of food machinery for over twenty years


有丰富的从业经验和深厚的行业背景
possessing rich industry experience and a profound background


对行业有深入了解
With an in-depth understanding of the industry

带领公司走出了一条开拓、创新之路
he has led the company on a path of exploration and innovation

推出多款行业首创和面机，走在行业前列
the company has launched numerous industry-leading dough mixing machine, positioning us at the forefront of the industry

赢得了广大客户的信任和好评
This has earned us the trust and praise of our vast clientele







DEVELOPMENT HISTORY
→发展历程

创谱科技·十年发展历程
Chuangpu Technology · Ten-Year Development History

携手并进 展望未来
Hand in Hand, Look to the Future

2015年3月至今 创谱坚守前行
Since March 2015, Tromp Persists Unwaveringly

纵使前路非坦途 昂首阔步永向前
Even if the Road Ahead is Rough, March Forward with Head Held High

2015 启航 Launch
3月于广州花都成立，研发25/50kg和面机，注册「奥焙斯」商标，开启食品机械创业之路。

Founded in Huadu, Guangzhou in March. Developed 25/50kg dough mixers and registered the "Aobeisi" trademark, embarking on the food machinery development journey.

2016 深耕 Deep Cultivation
完成独资改制，自主研发75kg和面机，注册「创谱（TROMP）」品牌，拓展行业合作。

Completed sole proprietorship restructuring, independently developed 75kg dough mixers, registered the brand "TROMP", and expanded in-depth industry cooperation.

2017 突破 Breakthrough
研发广东省首台自动翻缸和面机，确立行业引导者地位，扩厂至3600㎡生产基地。

Developed Guangdong's first automatic tilting bowl dough mixer, established industry leading position, and expanded to a 3600㎡ production base.

2018 迭代 Upgrade
获外观设计专利，量产75/100kg翻缸和面机，夯实技术壁垒。

Obtained industrial design patents, launched mass production of 75/100kg tilting bowl dough mixers, and consolidated core technological advantages.

2019 认证 Certification
成立离缸事业部，通过ISO9001、欧盟CE双认证，品质对标国际标准。

Established the bowl-separated equipment division. Passed ISO9001 quality management system and EU CE certification, reaching international quality standards.

2020 创新 Innovation
首创发明恒温式智能和面机，获得11项国家专利，技术引领行业升级。

Pioneered the constant temperature intelligent dough mixer, obtained 11 national patents, leading the industry upgrading with advanced technology.

2021 扩张 Expansion
增资扩产，布局肇庆高新区新厂房，累计获15项国家专利。

Increased capital and production capacity, invested in new factory in Zhaoqing High-tech Zone, with a total of 15 national patents granted.

2022 搬迁 Relocation
整体搬迁至肇庆高新区，扩大生产规模，开启发展新征程。

Completed overall relocation to Zhaoqing High-tech Zone, scaled up production capacity and opened a new chapter of high-quality development.

2023 出海 Global Layout
智能恒温和面机量产，成立外贸部，自主品牌走向全球市场。

Mass-produced self-developed constant-temperature intelligent dough mixers, established overseas trade department, and launched independent brands to

2024 认证 Leap Forward
获评国家高新技术企业，智能桶底出料、卧式和面机迭代上市，累计获30项专利。

Recognized as a National High-Tech Enterprise. Launched upgraded intelligent bottom-discharge and horizontal dough mixers, with a total of 30 patents granted.

2025 十年 Decade Milestone
卧式和面机、自动投料系统量产，搅拌系列成为国内品类最齐全、最完整的标杆。

Mass production of direct-drive horizontal dough mixers and automatic feeding systems. The mixing product line becomes the most complete and comprehensive benchmark in China.

2026 领航 Industry Leadership
构建和面设备全场景解决方案，成为全球食品机械智能化升级的标杆伙伴。

RBuild full-scenario solutions for dough mixing equipment, becoming a benchmark partner for the intelligent upgrading of global food machinery.



HONORS AND QUALIFICATIONS
→荣誉资质

国际专利 national patent 30+





ENTERPRISE CULTURE
→企业文化

创谱人
Chuangpu personnel

以精益求精的态度
We utilize cutting-edge technology and premium materials

确保一流的品质
We deliver outstanding products and services to customers worldwide

一丝不苟的努力和强烈的责任意识
We also provide exclusive custom product solutions

是创谱人永存的信念
To fully meet all requirements of diverse customers




PRODUCT INTRODUCTION
→产品介绍

采用先进的技术、优质的材料
We utilize cutting-edge technology and premium materials

为全球客户提供卓越的产品和服务
We deliver outstanding products and services to customers worldwide

并提供专属产品定制方案
We also provide exclusive custom product solutions

能满足不同客户的一切需求
To fully meet all requirements of diverse customers



畅销全球50+国家
Best-selling in over 50 countries worldwide

- 节能 Energy
- 高效 Efficient
- 易清洁 Easy to Clean
- 智控系统 Ites
- 省力 Labor saving

桶底卸料双扭臂和面机
DOUGH MIXER WITH BOTTOM DISCHARGE

产品特点 Product Features

高效搅拌：双麻花双钩结构，搅拌效率翻倍，工时缩减 50%
High-efficiency mixing: Double twisted hook doubles efficiency, cutting mixing time by 50%

节能降耗：吸水率提升 3%，原料损耗同步降低 3%
Cost-saving water absorption: 3% higher water uptake, reducing raw material consumption by 3%


优质面团：低升温、少面筋损伤，成品面团品质优异
Premium dough quality: Low temperature rise & minimal gluten damage

便捷出料：桶底直排卸料，无缝衔接成型流水线
Bottom discharging: Direct barrel-bottom discharge, perfectly matching forming lines

智能管控：PLC 变频调速，多配方通用，实时监测面团温度
Intelligent control: PLC variable speed & real-time temperature monitoring, adaptable to diverse formulas

耐用易洁：加厚全不锈钢机身，进口核心配件，运行稳定易清洁
Durable & easy-clean: Thickened stainless steel body with imported high-performance parts

智能产线适配：兼容大型自动化产线，贴合工业 4.0 标准
Industry 4.0 compatible: Fully connected with large-scale automatic production lines





产品参数 Product Parameters

产品型号 Model	TP-SGTD-300 (6 Bags)	TP-SGTD-400 (8 Bags)	TP-SGTD-500 (10 Bags)
干面粉容量(KG) Dry Flour Capacity (KG)	150	200	250
面团容量(KG) Dough Capacity	90/300	130/380	180/480
额定电压(V) Rated Voltage	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH
额定功率(KW) Rated power	24.2	33	41
桶内径/高度(MM) Inner Dia. / Height	1000*550	1100*550	1180*630
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	2340*1300*2100	2470*1390*2120	2510*1530*2230

可根据客户要求定制
All specifications and configurations can be customized

十包粉桶底卸料
TP-SGTD500 (10 bag)





智能恒温卧式和面机
INTELLIGENT CONSTANT TEMPERATURE HORIZONTAL DOUGH MIXER

产品特点 Product Features

智能自动投料，省人省时
Intelligent Auto Feeding, Labor & Time Saving

精准恒温控温，锁鲜面团
Precise Temp Control, Premium Dough Quality

全流程防污染，卫生安全
Full-Process Contamination Prevention, Hygienic & Safe

不锈钢无缝结构，耐用易洁
Seamless Stainless Steel Structure, Durable & Easy to Clean

120°翻缸出料，清洁便捷
120° Tiltable Bowl, Smooth Discharge & Easy Maintenance

多规格搅拌器，灵活定制
Customizable Agitators, Flexible for Diverse Needs

和面机缸体自带制冷功能
The dough mixer tank has a built-in cooling function



产品参数 Product Parameters


产品型号 Model	TP-WS-220 (4 Bags)	TP-WS-300 (6 Bags)	TP-WS-400 (8 Bags)
搅拌量(KG) Mixing Capacity	50-100	100-150	150-200
额定电压(V) Rated Voltage	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH
额定功率(KW) Rated power	23.5	32.2	39.2
转速(N) Rotational Speed	40/80rpm	40/80rpm	40/80rpm
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	2080*1380*2030	2410*1410*2240	2410*1590*2390

产品参数 Product Parameters

产品型号 Model	TP-WS-500 (10 Bags)	TP-WS-600 (12 Bags)
搅拌量(KG) Mixing Capacity	200-250	250-300
额定电压(V) Rated Voltage	380V/50HZ/5PH	380V/50HZ/5PH
额定功率(KW) Rated power	48	58
转速(N) Rotational Speed	40/80rpm	40/80rpm
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	2620*1630*2430	2820*1730*2520

可根据客户要求定制
All specifications and configurations can be customized









PLC智控离缸式工业和面机
PROFESSIONAL DOUGH MIXER WITH MOVABLE BOWL DESIGN

产品特点 Product Features


离缸式设计，装卸便捷
Detachable Bowl for Easy Handling



适配自动化生产线
Automation Line Compatible



PLC智能配方管理
Smart PLC Recipe Control



进口电机，稳定耐用
Imported Motor, Stable Performance

专利搅拌钩设计
Patented Mixing Hook

独有特质斜齿齿轮，坚固耐用不丢圈
Unique Helical Gears: Durable, Reliable, No Slippage







产品参数 Product Parameters

产品型号 Model	TP-75L (3 bags)	TP-100L (4 bags)	TP-125L (5 bags)	TP-150L (6 bags)
干面粉容量(KG) Dry Flour Capacity (KG)	75	100	125	150
面团容量(KG) Dough Capacity	20/120	40/180	60/220	100/300
额定电压(V) Rated Voltage	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH
额定功率(KW) Rated power	11.25	14.25	17.25	21
桶内径/高度(MM) Inner Dia. / Height	800*420	840*450	900*515	1000*520
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1690*1060*1310	1725*1100*1310	1820*1130*1420	1920*1180*1475

可根据客户要求定制
All specifications and configurations can be customized

PLC智控离缸式双扭臂和面机
Separate-barrel Double Twisted Arm

产品参数 Product Parameters

产品型号 Model	TP-SGL220 (5 bags)	TP-SGL300 (6 bags)	TP-SGL400 (8 bags)
干面粉容量(KG) Dry Flour Capacity (KG)	125	150	200
面团容量(KG) Dough Capacity	60/220	100/300	150/400
额定电压(V) Rated Voltage	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH
额定功率(KW) Rated power	25	33	40
桶内径/高度(MM) Inner Dia. / Height	900*515	1000*520	1100*550
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1820*1130*1490	1970*1250*1590	2230*1430*1710

可根据客户要求定制
All specifications and configurations can be customized




离缸双钩式馅料搅拌机
TP-SYL300

产品参数 Product Parameters

产品型号 Model	TP-SYL300(6 bags)
搅拌量(KG) Mixing Capacity	300
额定电压(V) Rated Voltage	380V/50HZ/5PH
额定功率(KW) Rated power	33
桶内径/高度(MM) Inner Dia. / Height	900*550
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1860*1180*1660

可根据客户要求定制
All specifications and configurations can be customized







恒温智能和面机

INTELLIGENT CONSTANT TEMPERATURE DOUGH MIXER

产品特点 Product Features

专利设计：自带温控/定量加水/翻缸，无需冰片设备
Patented Design: Built-in heating/cooling, Quantitative Water Dosing & tipping, no ice flaker needed

双组温控系统：双进水系统，直冷和面桶，控温精准
Dual-group Temperature Control System: Independent water circuits for direct bowl cooling & precise control

恒温控制：-20°C~50°C冷暖双控，面团品质稳定
Wide Temperature Range: -20°C~50°C dual heating/cooling for consistent dough quality

智能配方管理：触摸屏预设菜单，可存20+工艺配方
Intelligent Recipe Management: Touchscreen controller with 20+ storable recipes

全不锈钢材质，耐用易清洁
Full stainless steel construction, durable & easy to clean

产品参数 Product Parameters

产品型号 Model	TP-220BS	TP-300BS
干面粉容量(KG) Dry Flour Capacity (KG)	125	150
面团容量(KG) Dough Capacity	60-220	100-300
额定功率(KW) Rated power	18	21
额定电压(V) Rated Voltage	380V/50HZ/5PH	380V/50HZ/5PH
桶内径/高度(MM) Inner Dia. / Height	900*515	1000*520
外形尺寸（长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1730*1530*1570	1880*1590*1620
额定制冷量(KW) Rated Cooling Capacity	18	18
外形尺寸（长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1650*1500*1520	1650*1500*1520

可根据客户要求定制
All specifications and configurations can be customized

中国首创 发明专利
CHINA'S FIRST INVENTION PATENT

仿冒必究
Counterfeiting will be prosecuted











智能翻缸和面机
Intelligent Tilting Bowl Dough Mixer

产品特点 Product Features

一键倾翻：自动卸料，高效省心
One-Touch Tipping: Auto discharge, efficient

核心部件：纯铜电机，耐用低噪
Premium Components: Copper motor, durable & quiet

双动和面：全域搅拌，和面均匀
Dual-Action Mixing: Full stirring, even dough

开盖即停：安全防护，杜绝风险
Safety Lid Stop: Auto-stop, safe operation

加厚料桶：商用大容量，易清洗
Thickened Bowl: Large capacity, easy to clean

按键操控：一键调速，简单直观
Keypad Control: One-key speed, easy use

自带散热功能，运行稳定
Built-in heat dissipation function for stable operation

PLC智能控：配方可存，品质稳定
PLC Smart Control: Recipe storage, consistent quality







2包粉不锈钢翻缸和面机
TP-90FBB(2 bag)

产品参数 Product Parameters

产品型号 Model	TP-90FBB(2 bags)
干面粉容量(KG) Dry Flour Capacity (KG)	50
面团容量(KG) Dough Capacity	10/80
额定电压(V) Rated Voltage	380V/50HZ/5PH
额定功率(KW) Rated power	6.75
桶内径/高度(MM) Inner Dia. / Height	670*390
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1320*1290*1320



3包粉不锈钢翻缸和面机
TP-130FBB(3 bag)

产品参数 Product Parameters

产品型号 Model	TP-130FBB(3 bags)
干面粉容量(KG) Dry Flour Capacity (KG)	75
面团容量(KG) Dough Capacity	20/120
额定电压(V) Rated Voltage	380V/50HZ/5PH
额定功率(KW) Rated power	11.25
桶内径/高度(MM) Inner Dia. / Height	800*420
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1520*1490*1370



4包粉不锈钢翻缸和面机
TP-180FBB(4 bag)

产品参数 Product Parameters

产品型号 Model	TP-180FBB(4 bags)
干面粉容量(KG) Dry Flour Capacity (KG)	100
面团容量(KG) Dough Capacity	40/180
额定电压(V) Rated Voltage	380V/50HZ/5PH
额定功率(KW) Rated power	14.25
桶内径/高度(MM) Inner Dia. / Height	840*450
外形尺寸(长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1580*1520*1520



5包粉不锈钢翻缸和面机
TP-220FBB(5 bag)

产品参数 Product Parameters

产品型号 Model	TP-220FBB(5 bags)
干面粉容量(KG) Dry Flour Capacity (KG)	125
面团容量(KG) Dough Capacity	60/220
额定电压(V) Rated Voltage	380V/50HZ/5PH
额定功率(KW) Rated power	18
桶内径/高度(MM) Inner Dia. / Height	900*515
外形尺寸(长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1720*1580*1530



6包粉不锈钢翻缸和面机
TP-300FBB(6 bag)

产品参数 Product Parameters

产品型号 Model	TP-300FBB(6 bags)
干面粉容量(KG) Dry Flour Capacity (KG)	150
面团容量(KG) Dough Capacity	100/300
额定电压(V) Rated Voltage	380V/50HZ/5PH
额定功率(KW) Rated power	21
桶内径/高度(MM) Inner Dia. / Height	1000*520
外形尺寸(长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1820*1680*1570







6包粉不锈钢双钩翻缸和面机
TP-SG300FB(6 bags)

产品参数 Product Parameters

产品型号 Model	TP-SG300FB(6bags)
干面粉容量(KG) Dry Flour Capacity (KG)	150
面团容量(KG) Dough Capacity	100/300
额定电压(V) Rated Voltage	380V/50HZ/5PH
额定功率(KW) Rated power	33
桶内径/高度(MM) Inner Dia. / Height	1000*550
外形尺寸(长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1820*1680*1670





纯不锈钢翻缸和面机
PURE STAINLESS STEEL CYLINDER DOUGH MIXER

产品参数 Product Parameters

产品型号 Model	TP-90FB	TP-130FB	TP-180FB	TP-220FB	TP-300FB
干面粉容量(KG) Dry Flour Capacity (KG)	50	75	100	125	150
面团容量(KG) Dough Capacity	10/80	20/120	40/180	60/220	100/300
额定电压(V) Rated Voltage	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH
额定功率(KW) Rated power	6.75	11.25	14.25	18	21
桶内径/高度(MM) Inner Dia. / Height	670*390	800*420	840*450	900*515	1000*520
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1320*1290*1320	1520*1490*1370	1580*1520*1520	1710*1530*1530	1860*1590*1570

可根据客户要求定制
All specifications and configurations can be customized







经典款翻缸和面机
CLASSIC TILTING DOUGH MIXER

产品参数 Product Parameters

产品型号 Model	TP-130F	TP-180F	TP-220F
干面粉容量(KG) Dry Flour Capacity (KG)	75	100	125
面团容量(KG) Dough Capacity	20/120	40/180	60/220
额定电压(V) Rated Voltage	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH
额定功率(KW) Rated power	11.25	14.25	18
桶内径/高度(MM) Inner Dia. / Height	800*420	840*450	900*515
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	1520*1420*1510	1640*1455*1630	1715*1510*1680


可根据客户要求定制
All specifications and configurations can be customized



TP标准款和面机
TP STANDARD SERIES









产品特点 Product Features

汽车烤漆，耐腐蚀外观
Automotive Paint, Corrosion-Resistant

纯铜电机，动力强劲低噪
Copper Motor, Powerful & Quiet

双动双速，和面均匀高效
Dual-Action Mixing, Uniform & Efficient

开盖即停，安全双重保护
Lid-Lock Safety Protection

食品级不锈钢桶，易清洁耐用
Food-Grade Stainless Steel Bowl

产品参数 Product Parameters

产品型号 Model	TP-15KG	TP-25KG	TP-50KG	TP-75KG	TP-100KG	TP-125KG
干面粉容量(KG) Dry Flour Capacity (KG)	15	25	50	75	100	125
面团容量(KG) Dough Capacity	2/25	5/50	10/80	20/120	40/180	60/220
额定电压(V) Rated Voltage	220/380V/50/60HZ	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH	380V/50HZ/5PH
额定功率(KW) Rated power	2.2	4.5	5.25	9.75	12.75	16.5
桶内径/高度(MM) Inner Dia. / Height	45 0*300	530*330	670*390	800*420	840*450	900*515
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, MM)	830*490*1060	920*600*1200	1200*730*1310	1410*860*1460	1500*900*1560	1600*960*1600


可根据客户要求定制
All specifications and configurations can be customized

提升机系列
HOIST SERIES

产品参数 Product Parameters

产品型号 Model	提升机
额定电压(V) Rated Voltage	380V/50HZ/5PH
额定功率 Rated power	1.5
外形尺寸（长 × 宽 × 高） Overall Dimension (L×W×H, MM)	1920*1860*3620（2m）
提升高度(M) Lifting Height	高度可根据客户要求定制









产品参数 Product Parameters


产品型号 Model	一米举缸机
额定电压(V) Rated Voltage	380V/50HZ/5PH
额定功率 Rated power	1.5
外形尺寸（长 × 宽 × 高） Overall Dimension (L×W×H, mm)	1600*900*2580（1m）
提升高度(m) Lifting Height	高度可根据客户要求定制



自动送粉系统
AUTOMATIC POWDER CONVEYING SYSTEM











面团输送机、分块机
DOUGH CONVEYOR


产品参数 Product Parameters

产品型号 Model	面团输送机　分块机
面团容量(KG) Dry Flour Capacity (KG)	300
额定电压(V) Rated Voltage	380V/50HZ/5PH
额定功率(KW) Rated power	1.7
皮带宽度(MM) Belt Width	500
成型厚度(MM) Forming Thickness	25-80
外形尺寸 (长 × 宽 × 高) Overall Dimension (L×W×H, mm)	2460*1750*1350



可根据客户要求定制
All specifications and configurations can be customized













片冰机
ICE MACHINE

产品参数 Product Parameters

产品型号 Model	CP-05T	CP-1T	CP-2T	CP-3T	CP-5T
日产冰量(KG/24H) Daily Output	500	1000	2000	3000	5000
总功率 (KW) Power (KW)	2.5	4.8	8.6	10.8	25.1
制冷剂 Refrigerant	R404a	R404a	R404a	R404a	R404a
冷却方式 Cooling Mode	风冷Air cooled	风冷Air cooled	风冷Air cooled	风冷Air cooled	水冷Water cooled
储冰量 Capacity	360	360	500	1000	2500
含储冰库外形尺寸(mm) Product Dimension(mm)	1100×960×1810	1100×960×1910	1500×1350×2150	1750×1480×2700	2100×2000×3450

烘焙赛道 排名不分先后
BAKING COOPERATIVE PARTNER

面点赛道 排名不分先后
PASTRY COOPERATIVE PARTNER